

## **Trails**

- Pedestrian route developed primarily for outdoor recreational purposes
- Newly constructed/altered trail directly connected to a trailhead or another trail substantially complying with guidelines

  Conditional exceptions permitted new and altered
- · Shared use paths to be addressed in rulemaking

UNITED STATES ACCESS BOARD

## **Trails**

Surface – firm and stable Minimum width - 36 inches Passing spaces – every 1,000 feet where less than 60 inches in width

Tread obstacles – 2 inches maximum, except concrete, asphalt, or board = ½ inch Openings – ½ inch maximum (302.3)



UNITED STATES ACCESS BOARD

## **Trails**

Running Stope of Trail Segment Maximum Length					
AM 4-7	of Segment				
But not Steeper					
than	- Alexander State -				
1:12	200 feet (61 m)				
1:10	30 feet (9 m)				
1:8	10 feet (3050 mm)				
	But not Steeper than 1:12 1:10				

UNITED STATES ACCESS BOARD

# **Conditional exceptions**

- When applying conditional exceptions to portions of the trail or beach access route results in exempting the entire trail or beach access route from the technical provisions...
- Notify the Board where an entire trail or beach access route is exempted
- Technical assistance available

UNITED STATES ACCESS BOARD

# **Conditional exceptions**

Compliance is not practicable due to terrain

Compliance cannot be accomplished with the prevailing construction practices



UNITED STATES ACCESS BOARD

# **Conditional exceptions**

Compliance would fundamentally alter the function or purpose of the facility or the setting

Compliance is precluded by the:

- Endangered Species Act; National Environmental Policy Act; National Historic Preservation Act;
- Wilderness Act; or Other Federal, State, or local laws

UNITED STATES ACCESS BOARD





Camping facilities			
Total Number of Camping L Provided In Camping Facility	Camping Units Required		
1	1		
2 to 25	2		
26 to 50	3		
51 to 75	4		
76 to 100	5		
101 to 150	7		
151 to 200	8		
201 and over	8, plus 2 percent of the number over		
	200		



### **Beach access routes**

Permanent or removable
Minimum number – at least
one for each ½ mile of
shoreline managed by the
entity





UNITED STATES ACCESS BOARD

### **Beach access routes**

#### Connections -

- High tide level
- Mean high water
   Normal recreation pool
- Clear width 60 inches min.
- Surface firm and stable
- Obstacles 1 inch max, except concrete, asphalt, or boards = ½ inch




UNITED STATES ACCESS BOARD

#### **Beach access routes**

Elevated dune crossings

- Where part of beach access routes
  - · Handrails
  - Edge protection
  - Clear width 48 inches minimum
  - No requirement for resting intervals




PEDESTRIAN ROUTE	KEY ELEMENTS OF DESIGN INTENT
ACCESSIBLE ROUTES	Connects accessible elements and spaces of a building or facility on a site
SIDEWALK	Parallel to roadway Designed for pedestrians (not bicycles) Sometimes part of the roadway
TRAIL	Designed for the "recreation experience" Does not connect elements Generally includes a "trailhead" Has limited transportation function
SHARED-USE PATHS	Intended for multi-use Bicycle/Transportation focus Machine "layed" surface (improved) Often located in an "independent corridor" outside of the public right of
UNITED STATES A	



# **U.S. Access Board**

(800) 872-2253 (voice) (800) 993-2822 (TTY) ta@access-board.gov www.access-board.gov botten@access-board.gov 202-272-0014